



Product Service

# CERTIFICATE

No. Z1A 06 10 39214 142

**Holder of Certificate:** EDAC Power Electronics Co., Ltd.

11-2 F, No.150, Jian Yi Rd.  
 Chung Ho City, Taipei County  
 TAIWAN

**Certification Mark:**



**Product:** Power supplies  
 ( Power Adaptor )

The product meets the requirements of the German Equipment and Product Safety Act. The Certification marks shown above can be affixed on the product. The certification marks must not be altered in any way. The use of the GS-Mark is permitted until the listed date, the use of the TÜV-Mark is unlimited, unless it is cancelled. See also notes overleaf.

Test report no.: 612106164101

GS-Mark valid until: 2011-10-24

Date, 2006-10-25

*Bill L.*



Page 1 of 3

ZERTIFIKAT ♦ CERTIFICATE ♦ 認証証書 ♦ CERTIFIKAT ♦ CERTIFICADO ♦ CERTIFICAT



Product Service

**CERTIFICATE**

**No. Z1A 06 10 39214 142**

**Model(s): EA11603, EA11253, EA11603A, EA11253A**

**Parameters:**

|   |  |
|---|--|
| Rated input voltage:                                | 100-240 Vac  |
| Rated input current:                                | 2.5 A  |
| Rated frequency:                                    | 50-60 Hz   |
| Rated outputs:                                      | See attachment                                       |
| Protection class:                                   | I  |
| Max. ambient temperature:                           | 40°C (EA11603, EA11603A)<br>25°C (EA11253, EA11253A) |
| Degree of protection<br>against ingress of liquids: | Ordinary   |

**Tested according to:** EN 60950-1/A11:2004

**Factory(ies):** 48553



Taiwan

**Attachment to the Certificate**

**No. Z1A 06 10 39214 142**

**The output rating description of the models are as below:**

| <u>Model-#</u> | <u>DC Output Ratings</u> | <u>Max. Wattage</u> |
|----------------|--------------------------|---------------------|
| EA11603        | 18-24 V/ 7.5 A           | 150 W               |
| EA11253        | 18-24 V/ 6.0 A           | 120 W               |
| EA11603A       | 12-17 V/ 10 A            | 150 W               |
| EA11253A       | 12-17 V/ 10 A            | 120 W               |

**Date: 2006-10-25**



**Testing Laboratory**

**Bill Lin**